

Fabric Grouping and Suitability Chart



Effective 14th January 2025

Core Fabric Range - Stocked fabric (Standard Lead times)

Fabric Name	Supplier:	Blind Type Suitability	Price Group	Fabric Width	Railroading	Joining	Vertical Sizes Available	Maximum Blind Size for Romans*	Maximum Blind Size for Rollers*	Roller Blind Finishes	Fire Retardancy
Aventus 5% 2x2 screen - 12 colours as per Viewscope swatch	Shaw	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38 & 40	Yes ²
Aventus 10% 2x2 screen - 7 colours as per Viewscope swatch	Shaw	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38 & 40	Yes ²
Bond	Four Families	ROM, ROLL & PAN	3	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Bond Vertical	Four Families	VERT	4				89/127				Yes ²
Brella Classic Canvas Core Range - Refer to the core range book for colours	Brella	OUTDOOR	4	2200mm	?	YES					
Buxton Blockout	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ⁴	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Chaparral	Viewscope	ROM ⁷ , ROLL & PAN	2	2850mm	NO	NO		2800mm	2830mm	1, 16, 31, 38, 40 & 41	Yes ²
Dawn	Uniline	ROLL & PAN	1	3000mm	N/R ⁴	YES			2980mm ⁹	1, 16, 31, 38, 40 & 41	Yes ²
Dawn Vertical	Uniline	VERT	1				127/100/89				Yes ²
Docril Acrylic Core Range	Docril	OUTDOOR	5	Up to 2000mm	NO	YES					
Edge	Shaw	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm ⁹	1, 16, 31, 38, 40 & 41	Yes ²
Euro St Lucia	Four Families	ROLL	3	3000mm	N/R ⁴	NO			2980mm	1, 31, & 40	Yes ²
Infinity Acrylic	Nolan Group	OUTDOOR	5	3200mm	YES	YES					
Karma Blockout	Shaw	ROM, ROLL & PAN	1	3000mm	NO	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Karma Vertical	Shaw	VERT	3				127/89				Yes ²
Le Reve Blockout	Shaw	ROM ⁷ , ROLL & PAN	2	3000mm	NO	NO		2950mm	2980mm	1, 16, 31, 38, 40 & 41	Yes ²
Le Reve Light Filtering	Shaw	ROM ⁷ , ROLL & PAN	2	3000mm	NO	NO		2950mm	2980mm	1, 31, & 40	Yes ²
Noosa	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	NO	NO		2850mm	2880	1, 31, 38, 40 & 41	Yes ²
Oakland Blockout	Viewscope	ROM, ROLL & PAN	3	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Oakland Light Filtering	Viewscope	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	Yes ²
Palm Beach Blockout	Shaw	ROM, ROLL & PAN	3	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Palm Beach Translucent	Shaw	ROLL & PAN	2	3000mm	N/R ⁴	NO			2980mm	1, 31, & 40	Yes ²
Phoenix 2x1 screen	Viewscope	ROM, ROLL & PAN	1	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, & 40	Yes ²
PVC Dimensionally Stable Clear & Charcoal 0.75mm	Nolan Group	OUTDOOR	1	1370mm	NO	YES					Yes ²
Resene Origin	Four Families	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Rialto	Viewscope	ROLL & PAN	Budget	3000mm	N/R ⁴	NO			2980mm	ALL except 40	Yes ²
Rialto Vertical	Viewscope	VERT	Budget				127				Yes ²
Skye Blockout	Shaw	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Skye Light Filtering	Shaw	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, & 41	Yes ²
Skye Blockout Vertical	Shaw	VERT	2				127/89				Yes ²
Strand Blockout	Viewscope	ROM, ROLL & PAN	2	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Strand Vertical	Viewscope	VERT	3				127				Yes ²
Tuscany Blockout	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ⁴	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Tuscany Translucent	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ⁴	NO		2750mm	2780mm	1, 31, & 40	Yes ²
Uluru Blockout	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	NO	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Vistaweave 95 5% Core Range - Refer to the core range book for colours	Nolan Group	OUTDOOR	Budget	3200mm	YES	YES					
Vistaweave 99 1% Core Range - Refer to the core range book for colours	Nolan Group	OUTDOOR	3	3000mm	YES	YES					
Vistaweave Max Core Range - Refer to the core range book for colours	Nolan Group	OUTDOOR	4	3200mm	YES	YES					
Whitsundays Sheer	Wilson Fabrics	ROM ⁷ , ROLL & PAN	4	3000mm	N/R ⁴	NO		2950	3000	1, 31, 38, & 40	Yes ²

Fabric Grouping and Suitability Chart



Effective 14th January 2025

Core Fabric Range - Stocked fabric (Standard Lead times)

Fabric Name	Supplier:	Blind Type Suitability	Price Group	Fabric Width	Railroading	Joining	Vertical Sizes Available	Maximum Blind Size for Romans*	Maximum Blind Size for Rollers*	Roller Blind Finishes	Fire Retardancy
Non Core Fabric Range - Cut length Fabric (Standard Lead times + 5 business days)											
Aventus 3% 2x2 screen	Shaw	ROM, ROLL & PAN	3	3000mm	N/R ^a	NO		2950mm	2980mm	1, 31, & 40	Yes ²
Aventus 5% 2x2 screen - non core range colours	Shaw	ROM, ROLL & PAN	3	3000mm	N/R ^a	NO		2950mm	2980mm	1, 31, 38 & 40	Yes ²
Aventus 10% 2x2 screen - non core range colours	Shaw	ROM, ROLL & PAN	3	3000mm	N/R ^a	NO		2950mm	2980mm	1, 31, & 40	Yes ²
Baltic Blockout	Hunter Douglas	ROM, ROLL & PAN	8	2800mm	N/R ^a	NO		2750mm	2780mm	1, 16, 31, 38, 40 & 41	Yes ²
Baltic Translucent	Hunter Douglas	ROM, ROLL & PAN	6	2800mm	N/R ^a	NO		2750mm	2780mm	1, 31, & 40	Yes ²
Baltic Translucent Vertical	Hunter Douglas	VERT	5				127/89				
Barrington	Ricky Richards	OUTDOOR	5	2200mm	NO	YES					
Bauhaus Blockout	Four Families	ROM, ROLL & PAN	4	3000mm	N/R ^a	NO		2950mm	2980mm	1, 31, 38, 40 & 41	
Banbury (Light Filtering) Vertical	Louvolite	VERT	4				127/89				
Bayside Blockout	Louvolite	ROLL & PAN	5	2700mm	NO	NO			2680mm	1, 31, 38, 40 & 41	
Belice Blockout	Uniline	ROM, ROLL & PAN	4	3000mm	N/R ^a	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Belice Light Filtering	Uniline	ROM, ROLL & PAN	3	3000mm	NO	NO		2950mm	2980mm	1, 31 & 40	Yes ²
Birdsong	Louvolite	ROM, ROLL & PAN	7	2050mm	NO	NO		2000mm	2030mm	1, 31, 38, 40 & 41	
Boston Blockout	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ^a	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Boston Translucent	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ^a	NO		2850mm	2880mm	1, 31, & 40	Yes ²
Brella Classic Canvas - non core range colours	Brella	OUTDOOR	5	2200mm	NO	YES					
Broome Blockout	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ^a	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Broome Translucent	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ^a	NO		2850mm	2880mm	1, 31, & 40	Yes ²
Carnival	Louvolite	ROM, ROLL & PAN	5	3000mm	N/R ^a	NO		2950mm	2980mm	1, 16, 31, 40 & 41	
Carnival Blockout	Louvolite	ROM, ROLL & PAN	6	2050mm	N/R ^a	NO		2000mm	2030mm	1, 16, 31, 38, 40 & 41	
Carnival Blockout Vertical	Louvolite	VERT	5				89				
Carnival Vertical	Louvolite	VERT	3				127/89				
Chatsworth	Louvolite	ROM, ROLL & PAN	6	3000mm	N/R ^a	NO		2950mm	2980mm	1, 31, 40 & 41	
Chatsworth Vertical	Louvolite	VERT	4				127/89				
Cherry Blossom Blockout	Louvolite	ROLL & PAN	7	3000mm	NO	NO			2980mm	1, 31, 38, 40 & 41	
Collina Blockout	Louvolite	ROM, ROLL & PAN	8	3000mm	NO	NO		2950mm	2980mm	1, 31, 38, 40 & 41	
Collina Blockout Vertical	Louvolite	VERT	4				89				
Concord II Blockout	Wilson Fabrics	ROM, ROLL & PAN	5	2900mm	NO	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Concord II Translucent	Wilson Fabrics	ROM, ROLL & PAN	5	2900mm	NO	NO		2850mm	2880mm	1, 31, 40 & 41	Yes ²
Crown	Viewscope	ROM, ROLL & PAN	1	2800mm	N/R ^a	NO		2750mm	2780mm	1, 31, 38, 40 & 41	
Crush Blockout	Louvolite	ROLL & PAN	7	3000mm	NO	NO			2980mm	1, 31, 38, 40 & 41	
Daintree Blockout	Wilson Fabrics	ROM, ROLL & PAN	5	2900mm	NO	NO		2850mm	2880mm	1, 31, 38, 40 & 41	
Deco Screen	Mermet	ROM, HOL & PAN	6	2500mm	N/R ^a	NO		2450mm	2480mm	1, 31, & 40	
Docril Acrylic - non core range colours	Docril	OUTDOOR	5	Up to 2000mm	NO	YES					
Docril Nautica	Docril	OUTDOOR	6	Up to 2000mm	NO	YES					
Duo Block	Shaw	ROM, ROLL & PAN	3	2800mm	N/R ^a	NO		2750mm	2780mm	1, 31, 38, 40 & 41	Yes ²
Duo Light	Shaw	ROLL	2	2800mm	N/R ^a	NO			2780mm	1, 31, 40 & 41	Yes ²
Duo Screen	Shaw	ROM ⁷ , ROLL & PAN	2	3200mm	N/R ^a	NO		3150mm	3180mm	1, 31 & 40	Yes ²
Elements Blockout	Hunter Douglas	ROM, ROLL & PAN	7	2800mm	N/R ^a	NO		2750mm	2780mm	1, 16, 31, 38, 40 & 41	Yes ²
Elements Translucent Vertical	Hunter Douglas	VERT	5				127/89				
Envirovision	Shaw	ROLL & PAN	3	3000mm	N/R ^a	NO			2980mm	1, 31, 40 & 41	Yes ²
E-Screen 2x2 10%	Mermet	ROM ⁷ , ROLL & PAN	5	2500mm	NO	NO		2450mm	2480mm	1, 31, & 40	Yes ²
E-Screen 2x2 6%	Mermet	ROM ⁷ , ROLL & PAN	5	2500mm	NO	NO		2450mm	2480mm	1, 31, & 40	
Evolution	Uniline	ROM, ROLL & PAN	2	3000mm	N/R ^a	YES		2950mm	2980mm	1, 16, 31, 38, 40 & 41	
Ex-Lite Blockout Vertical	Louvolite	VERT	3				127/89				
Extraview Plus	Hunter Douglas	ROM ⁷ , ROLL & PAN	6	3000mm	NO	NO		2950mm	2980mm	1, 31, & 40	Yes ²
Flinders	Wilson Fabrics	ROM, ROLL & PAN	5	2800mm	N/R ^a	NO		2750mm	2780mm	1, 31, 38, 40 & 41	
Florida II	Wilson Fabrics	ROM, ROLL & PAN	3	2500mm	N/R ^a	NO		2450mm	2480mm	1, 16, 31, 38, 40 & 41	
Hampton	Louvolite	ROM, ROLL & PAN	6	2800mm	NO	NO		2750mm	2780mm	1, 31, 38, 40 & 41	
Hampton Vertical	Louvolite	VERT	5				127/89				
HD Canvas	Hunter Douglas	OUTDOOR	5	2200mm	NO	YES					Yes ²
Herringbone	Louvolite	ROM, ROLL & PAN	5	3000mm	NO	NO		2950mm	2980mm	1, 31, 40 & 41	

Fabric Grouping and Suitability Chart



Effective 14th January 2025

Core Fabric Range - Stocked fabric (Standard Lead times)

Fabric Name	Supplier:	Blind Type Suitability	Price Group	Fabric Width	Railroading	Joining	Vertical Sizes Available	Maximum Blind Size for Romans*	Maximum Blind Size for Rollers*	Roller Blind Finishes	Fire Retardancy
Husk II Sheer	Wilson Fabrics	ROM ¹⁰ , ROLL & PAN	4	2900mm	N/R ⁴	NO		2850mm	2880mm	1 & 31	Yes ²
Icon	Shaw	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Icon FR	Shaw	ROM ⁷ , ROLL & PAN	4	3200mm	N/R ⁴	NO		2950mm	3180mm	1, 31, 38, 40 & 41	Yes ²
Kenross Blackout	Mermet	ROM, ROLL & PAN	6	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 40 & 41	
Kenross Translucent	Mermet	ROM, ROLL & PAN	6	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, & 40	
Lintex Blackout	Mermet	ROM, ROLL & PAN	5	3000mm	N/R ⁴	NO		2850mm	2880mm	1, 31, 38, 40 & 41	
Lintex Translucent	Mermet	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, & 40	
Longreach Blackout	Wilson Fabrics	ROM, ROLL & PAN	5	2900mm	N/R ⁴	NO		2850mm	2880mm	1, 31, 38, 40 & 41	
Magnolia Block Out	Louvolite	ROM, ROLL & PAN	7	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 40 & 41	
Malmo	Louvolite	ROM, ROLL & PAN	6	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 40 & 41	
Mantra Blackout	Shaw	ROM ⁷ , ROLL & PAN	4	3000mm	NO	NO		2950mm	2980mm	1, 31, 38, 40 & 41	Yes ²
Mantra Light Filtering	Shaw	ROM ⁷ , ROLL & PAN	4	3000mm	NO	NO		2950mm	2980mm	1, 31, & 40	Yes ²
Marley Blackout (Louvolite)	Louvolite	ROM ¹⁰ , ROLL & PAN	5	3000mm	NO	NO		2950mm	2980mm	1, 31, 38, 40 & 41	
Marley Block Out (Wilson Fabrics)	Wilson Fabrics	ROM, ROLL & PAN	4	2800mm	NO	NO		2750mm	2780mm	1, 31, 38, 40 & 41	Yes ²
Marley Translucent (Wilson Fabrics)	Wilson Fabrics	ROM, ROLL & PAN	4	2800mm	NO	NO		2750mm	2780mm	1, 31, & 40	Yes ²
Matrix Block Out	Wilson Fabrics	ROM, ROLL & PAN	5	2800mm	N/R ⁴	NO		2750mm	2780mm	1, 31, 38, 40 & 41	Yes ²
Matrix Translucent	Wilson Fabrics	ROM, ROLL & PAN	5	2800mm	N/R ⁴	NO		2750mm	2780mm	1, 31, & 40	Yes ²
Mercury Blackout	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	NO	NO		2850mm	2880mm	1, 31, 38, 40 & 41	Yes ²
Mercury Translucent	Wilson Fabrics	ROM, ROLL & PAN	4	2900mm	N/R ⁴	NO		2850mm	2880mm	1, 31, & 40	Yes ²
Mineral Vertical	Louvolite	VERT	3				127/89				
Moma Blackout	Wilson Fabrics	ROM, ROLL & PAN	4	2800mm	N/R ⁴	NO		2750mm	2780mm	1, 31, 38, 40 & 41	Yes ²
Moma Translucent	Wilson Fabrics	ROM, ROLL & PAN	4	2800mm	N/R ⁴	NO		2750mm	2780mm	1, 31 & 40	Yes ²
Monroe Vertical	Louvolite	VERT	4				127/89				
Monterey	Louvolite	ROM, ROLL & PAN	6	2800mm	NO	NO		2750mm	2780mm	1, 31, 40 & 41	
Monterey Vertical	Louvolite	VERT	4				127/89				
M-Screen 8505	Mermet	ROM ⁷ , ROLL & PAN	5	3000mm	NO	NO		VARIABLE	2980mm	1, 31, & 40	Yes ²
Night Night Blackout	Louvolite	ROLL & PAN	6	2050mm	N/R ⁴	NO			2030mm	1, 31, 38, 40 & 41	
Orchestra Acrylic	Dickson	OUTDOOR	4	Up to 2800mm	NO	YES					
Orora FR Light Filtering	Shaw	ROLL & PAN	3	3000mm	N/R ⁴	NO			2980mm	1, 31 & 40	Yes ²
Oslo	Louvolite	ROM, ROLL & PAN	6	3000mm	NO	NO		2950mm	2980mm	1, 31, 38, 40 & 41	
Oslo Vertical	Louvolite	VERT	4				127/89				
Outlook Designs (Stripe) 10%	Ricky Richards	OUTDOOR	2	2750mm	NO	YES					
Outlook Mode (Plain) 5%	Ricky Richards	OUTDOOR	2	3200mm	YES	NO					Yes ²
Outlook Mode Privacy 1%	Ricky Richards	OUTDOOR	4	3200mm	N/R ⁴	NO					Yes ²
Outlook Mode Textures 5%	Ricky Richards	OUTDOOR	3	3200mm	YES	NO					Yes ²
Outlook Mode Zero	Ricky Richards	OUTDOOR	6	3200mm	YES	NO					Yes ²
Palermo Sheer	Uniline	ROM, ROLL & PAN	3	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, & 40	
Petra	Hunter Douglas	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	
Phoenix 10% Screen - Wilson Fabrics	Wilson Fabrics	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	
Ritz	Louvolite	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	
Ritz Vertical	Louvolite	VERT	4				127/89				
Romany Blackout Vertical	Louvolite	VERT	4				127/89				
SB Woolamai	Four Families	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1 & 31	
Seychelles	Hunter Douglas	ROM, ROLL & PAN	8	2800mm	N/R ⁴	NO		2750mm	2780mm	1, 31 & 40	
Sheerweave 4300 Ecolibrium	Shaw	ROM ⁷ , ROLL & PAN	5	3200mm	N/R ⁴	YES		3150mm	3180mm	1, 31 & 40	Yes ²
Sheerweave 4500 Ecolibrium	Shaw	ROM ⁷ , ROLL & PAN	5	3200mm	N/R ⁴	NO		3150mm	3180mm	1, 31 & 40	Yes ²
Sheerweave 4510 Ecolibrium	Shaw	ROM ⁷ , ROLL & PAN	5	3200mm	N/R ⁴	NO		3150mm	3180mm	1, 31 & 40	Yes ²
Shot Silk Blackout	Louvolite	ROM, ROLL & PAN	7	2050mm	N/R ⁴	NO		1950mm	2030mm	1, 31 & 40	
Shot Silk Blackout Vertical	Louvolite	VERT	3				89				
Soltis 86 (External Screen)	Serge Ferrari	OUTDOOR	5	Up to 2670mm	YES	NO					Yes ²
Soltis 92 (External Screen)	Serge Ferrari	OUTDOOR	6	Up to 2670mm	YES	NO					Yes ²
Soltis 99 (Internal Screen)	Serge Ferrari	ROLL & PAN	7	Up to 2670mm ¹	NO	NO			2650mm ⁹	1, 31 & 40	Yes ²
Soltis B92 (External Blackout)	Serge Ferrari	OUTDOOR	9	1700mm	YES	NO					Yes ²
Soltis B99 (Internal Blackout)	Serge Ferrari	ROLL & PAN	7	1700mm	NO	NO			1750mm	1, 31 & 40	Yes ²

Fabric Grouping and Suitability Chart



Effective 14th January 2025

Core Fabric Range - Stocked fabric (Standard Lead times)

Fabric Name	Supplier:	Blind Type Suitability	Price Group	Fabric Width	Railroading	Joining	Vertical Sizes Available	Maximum Blind Size for Romans*	Maximum Blind Size for Romans*	Roller Blind Finishes	Fire Retardancy
Southport	Four Families	ROM, ROLL & PAN	4	3270mm	N/R ⁴	NO		3220mm	3250mm	1, 31 & 40	
Spectrum 3%	Uniline	ROLL	6	2500mm	N/R ⁴	NO			2480mm	1, 31 & 40	
Sunbrella Acrylic Plain & Stripe	Sunbrella	OUTDOOR	5	Up to 2000mm	NO	YES					
Sunset (Uniline)	Uniline	ROLL & PAN	2	3000mm	N/R ⁴	NO			2980mm	1, 16, 31, 38, 40 & 41	
Sunset Vertical (Uniline)	Uniline	VERT	3				127/89				

Non Core Fabric Range - Cut length Fabric (Standard Lead times + 5 business days)

Sydney	Wilson Fabrics	ROM, ROLL & PAN	5	2900mm	N/R ⁴	NO		2850mm	2880mm	1, 31, 38, 40 & 41	
Tempo Blockout	Uniline	ROM, ROLL & PAN	5	3000mm	N/R ⁴	YES		2950mm	2980mm	1, 31, 38, 40 & 41	
Tempo Light Filtering	Uniline	ROM, ROLL & PAN	4	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	
Tundra Vertical	Louvolite	VERT	4				127/89				
Uniview Indoor 5%	Uniline	ROM, ROLL & PAN	3	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	Yes ²
Uniview Indoor 10%	Uniline	ROM, ROLL & PAN	3	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	Yes ²
Uniview Indoor 2%	Uniline	ROM, ROLL & PAN	5	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31 & 40	Yes ²
Vermont Vertical	Louvolite	VERT	4				127/89				
Vibe	Shaw	ROLL & PAN	2	3000mm	N/R ⁴	YES			2980mm	1, 16, 31, 38, 40 & 41	Yes ²
Vibe (Metallic)	Shaw	ROLL & PAN	3	3000mm	N/R ⁴	YES			2980mm	1, 16, 31, 38, 40 & 41	Yes ²
Vibe Vertical	Shaw	VERT	3				127/100/89				Yes ²
Vibe Vertical (Metallic)	Shaw	VERT	4				127/100/89				Yes ²
Vistaweave 95 5% - Non Core Range Colours	Nolan Group	OUTDOOR	2	3200mm	YES	YES					
Vistaweave 99 1% - Non Core Range Colours	Nolan Group	OUTDOOR	4	3000mm	NO	YES					
Vistaweave Stripe 12%	Nolan Group	OUTDOOR	2	2700mm	NO	YES					
Voile Vertical	Louvolite	VERT	3				127/89				
Willandra Blockout	Mermet	ROM, ROLL & PAN	6	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 38, 40 & 41	
Willandra Translucent	Mermet	ROM, ROLL & PAN	6	3000mm	N/R ⁴	NO		2950mm	2980mm	1, 31, 40	
Willow Blockout	Louvolite	ROM ⁷ , ROLL & PAN	6	3000mm				2950mm	2980mm	1, 31, 38, 40	

Note 1:

Viewscope may believe that some fabrics are not as ideally suited for specific products even if the fabric manufacturer suggests it's suitable. The client should take fabric manufacturer recommendations and their personal experience into consideration at all times.

Note 2:

Blind usage is based on fabric suppliers advice. ²Refer to fabric manufacturers specifications. Purchasers of these products(in reference to the appropriate test certificate) need to satisfy themselves that the product meets the necessary Fire Retardant standards in their region and complies with the Building Code of Australia. The information on these fabric grouping charts and data on the test certificates is to be used as a guide only to the regulations set in a particular region or application.

Note 4:

Viewscope does not recommend railroading fabric. Railroaded blinds do not carry our normal warranty & are manufactured completely at the clients risk. Oversized blinds that require railroading will be automatically produced on receipt of the order without further client contact however; clients accept all risk and costs by forwarding oversized blind orders. All other blinds on that order will not be railroaded to match the railroaded blind unless specifically requested on the clients order (even in the same location). Clients should be aware of fabric patterns and textures.

Note 5:

The maximum blind widths provided are the largest you can make a blind without joins. Anything over this will need to be railroaded and possibly joined. See Railroading and Join column for further information.

Note 6:

The **Core Fabric Range** is available immediately from stock and will be produced within published leadtimes. A full and updated Core Fabric Range list is available on our website. Sample presentation systems are available from the Viewscope sales team.

Note 7:

Fabrics not included in the Core Fabric Range are offered as cut lengths and may take up to 5 working days to receive from the fabric suppliers. These days are additional to the published leadtime. If fabric is on supplier back order (longer delivery time expected), we will contact you to advise the expected production date.

Not suitable for Standard (Classic) Romans (Sewn Batten Pockets). Suitable for Back Batten Romans.

Fabric Grouping and Suitability Chart



Effective 14th January 2025

Core Fabric Range - Stocked fabric (Standard Lead times)

Fabric Name	Supplier:	Blind Type Suitability	Price Group	Fabric Width	Railroading	Joining	Vertical Sizes Available	Maximum Blind Size for Romans*	Maximum Blind Size for Rollers*	Roller Blind Finishes	Fire Retardancy
Note ⁸:	These fabrics may have parts of the design that will be hidden in the batten pocket. Due to the fabric's manufacturing process, these fabrics may have some pattern "run-off" across the fabric blind width.										
Note ⁹:	Soltis range 2670mm widths are only available in limited colours.										
Note ¹⁰:	Not suitable for Back Batten Romans. Suitable for Standard (Classic) Romans (Sewn Batten Pockets).										